


Telephone: (650) 697-3600



## **GOAT ANTI-NONO / P54NRB ANTIBODY**

**SKU:** EB07246



## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

Storage

Instructions

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

ID

non-Pou domain-containing octamer (ATGCAAAT) binding protein|non-POU-domain-containing, octamerbinding|Nuclear RNA-binding protein, 54-kD|P54|NRB54|NMT55|HGNC:7871|non-POU domain containing,

octamer-binding|P54NRB|NONO **Names** 

**Accession** 

NP\_031389.3

**Blocking** 

EBP07246

**Peptide** 

**Immunogen** 

Peptide with sequence C-NRAAPGAEFAPNK, from the C Terminus of the protein sequence according to NP\_031389.3.

**Peptide** 

Sequence

C-NRAAPGAEFAPNK

Method

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

using the immunizing peptide.

Shipping

Refrigerated Instructions





Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

**Predicted** 

Human, Mouse, Rat, Dog

**Species** Reactive

**Species** 

Human, Mouse

Human

**Gene ID** 

Mouse

4841

Gene ID

53610

**Rat Gene ID** 317259

**Product** Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

IHC Results Paraffin embedded Human Spleen and Testis. Recommended concentration: 3.75µg/ml.

**ELISA** 

Detection

Antibody detection limit dilution 1:16000.

Limit

Western Blot

Approx 60kDa band observed in Mouse Brain lysates (calculated MW of 54.2kDa according to Human NP\_031389.3 and 54.5kDa according to Mouse NP\_075633.2). Recommended concentration: 0.1-0.3µg/ml.

Application

Type


Pep-ELISA, WB, IHC

## **GALLERY IMAGES**









250kDa 150kDa 100kDa 75kDa 50kDa

25kDa 20kDa

37kDa

15kDa

10kDa

