


## GOAT ANTI-NONO / P54NRB ANTIBODY

**SKU:** EB07246



## SPECIFICATIONS

**Formulation** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

**Storage** Aliquot and store at -20°C. Minimize freezing and thawing.  
**Instructions**

**Synonym /** non-Pou domain-containing octamer (ATGCAAAT) binding protein|non-POU-domain-containing, octamer-

**Alias** binding|Nuclear RNA-binding protein, 54-kD|P54|NRB54|NMT55|HGNC:7871|non-POU domain containing,

**Names** octamer-binding|P54NRB|NONO

**Accession ID** NP\_031389.3

**Blocking Peptide** EBP07246

**Immunogen** Peptide with sequence C-NRAAPGAEFAPNK, from the C Terminus of the protein sequence according to NP\_031389.3.

**Peptide Sequence** C-NRAAPGAEFAPNK

**Purification Method** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.


**Shipping Instructions** Refrigerated

<b>Predicted Species</b>	Human, Mouse, Rat, Dog
<b>Reactive Species</b>	Human, Mouse
<b>Human Gene ID</b>	4841
<b>Mouse Gene ID</b>	53610
<b>Rat Gene ID</b>	317259
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png</a>
<b>IHC Results</b>	Paraffin embedded Human Spleen and Testis. Recommended concentration: 3.75µg/ml.
<b>ELISA Detection Limit</b>	Antibody detection limit dilution 1:16000.
<b>Western Blot</b>	Approx 60kDa band observed in Mouse Brain lysates (calculated MW of 54.2kDa according to Human NP_031389.3 and 54.5kDa according to Mouse NP_075633.2). Recommended concentration: 0.1-0.3µg/ml.
<b>Application Type</b>	Pep-ELISA, WB, IHC

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES




250kDa

150kDa

100kDa

75kDa



50kDa

37kDa

25kDa

20kDa

15kDa

10kDa