


## GOAT ANTI-NPAP60 / NUP50 ANTIBODY

**SKU:** EB05905



250kDa  
150kDa  
100kDa  
75kDa  
50kDa  
37kDa  
25kDa

---

## SPECIFICATIONS

**Formulation** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

**Storage Instructions** Aliquot and store at -20°C. Minimize freezing and thawing.

**Synonym /**

**Alias** OTTHUMP00000199530|CTA-268H5.7|nuclear pore-associated protein 60L|nucleoporin  
**Names** 50kDa|DKFZP564A043|MGC39961|NPAP60L|NPAP60|NUP50

**Accession ID** NP\_009103.2; NP\_705931.1

**Blocking Peptide** EBP05905

**Immunogen** Peptide with sequence C-ELHKILLEKKDA, from the C Terminus of the protein sequence according to NP\_009103.2; NP\_705931.1.

**Product Comments** This antibody is expected to recognise both reported isoforms (NP\_009103.2; NP\_705931.1).

**Peptide Sequence** C-ELHKILLEKKDA

**Purification Method** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

**Shipping Instructions** Refrigerated

**Predicted Species** Human, Mouse, Rat, Cow

**Reactive Species** Human

**Human Gene ID** 10762

**Mouse Gene ID** 18141

**Product Grade** [https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\\_medium.png](https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png)

**IHC Results** In paraffin embedded Human Uterus shows textured nuclear staining of endometrial cells. Recommended concentration, 2.5-3.8µg/ml.

**ELISA**

**Detection Limit** Antibody detection limit dilution 1:32000.

**Western Blot** Approx 60kDa band observed in lysates of cell line Jurkat (calculated MW 50.1 kDa according to NP\_009103.2).

**Application Type** Recommended for use at 0.2-1µg/ml.

**Pep-ELISA, WB, IHC**

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

