

GOAT ANTI-NPFFR1 ANTIBODY

SKU: EB08373



SPECIFICATIONS

| | |
|------------------------------|---|
| Formulation | Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. |
| Unit Size | 100 µg |
| Storage Instructions | Aliquot and store at -20°C. Minimize freezing and thawing. |
| Synonym / Alias Names | NPFFR1 neuropeptide FF receptor 1 FLJ10751 GPR147 NPFF1 NPFF1R1 OT7T022 G protein-coupled receptor 147 neuropeptide FF 1 |
| Accession ID | NP_071429.1 |
| Blocking Peptide | EBP08373 |
| Immunogen | Peptide with sequence C-RPSGSHKEAYSERP, from the internal region of the protein sequence according to NP_071429.1. |
| Peptide Sequence | C-RPSGSHKEAYSERP |
| Purification Method | Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. |
| Shipping Instructions | Refrigerated |
| Predicted Species | Human |
| Reactive Species | Human |
| Human Gene ID | 64106 |
| Product Grade | https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png |
| ELISA Detection Limit | Antibody detection limit dilution 1:64000. |
| Western Blot | Approx 48kDa band observed in Human Brain (Cerebellum and Cerebral Cortex) lysates (calculated MW of 47.8kDa according to NP_071429.1). Recommended concentration: 0.03-0.1µg/ml. |
| Application Type | Pep-ELISA, WB |

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

