



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600


GOAT ANTI-NTRK2 ANTIBODY

SKU: EB07390



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600









SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

NTRK2|neurotrophic tyrosine kinase, receptor, type 2|GP145-TrkB|TRKB|BDNF/NT-3 growth factors

receptor|tyrosine kinase receptor B|BDNF receptor Names

Accession

NP_006171.2; NP_001007098.1; NP_001018074.1; NP_001018075.1; NP_001018076.1

Blocking

EBP07390 **Peptide**

Peptide with sequence C-KTLQEAKSSPDTQ, from the internal region of the protein sequence according to **Immunogen**

NP_006171.2; NP_001007098.1; NP_001018074.1; NP_001018075.1; NP_001018076.1.

Product This antibody is expected to recognise isoforms a (NP_006171.2), b ((NP_001007098.1), c (NP_001018074.1), d

Comments (NP_001018075.1), e (NP_001018076.1).

Peptide

C-KTLQEAKSSPDTQ Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat, Dog **Species**

Reactive

Human **Species**

Human

4915 Gene ID

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png Grade

ELISA

Detection Antibody detection limit dilution 1:64000.

Limit

Western Approx 100kDa band observed in Human Brain (Hippocampus, Cerebral Cortex and Cerebellum) lysates (calculated MW of 93.8kDa according to NP_006171.2). Recommended concentration: 0.05-0.2µg/ml. Blot

Application

Pep-ELISA, WB Type

GALLERY IMAGES





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

