


GOAT ANTI-NUR77 / TR3 (ISOFORM A) ANTIBODY

SKU: EB07404



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	steroid receptor TR3 orphan nuclear receptor HMR hormone receptor growth factor-inducible nuclear protein N10 early response protein NAK1 TR3 orphan receptor TR3 NP10 NGFIB NAK-1 N10 MGC9485 HMR GFRP1 nuclear receptor subfamily 4, group A, member 1 NUR77 NR4A1
Accession ID	NP_002126.2; NP_775180.1
Blocking Peptide	EBP07404
Immunogen	Peptide with sequence C-GRLPSKPKQPPDAS, from the internal region of the protein sequence according to NP_002126.2; NP_775180.1.
Product Comments	This antibody is expected to recognise isoform a (NP_002126.2 and NP_775180.1) only.
Peptide Sequence	C-GRLPSKPKQPPDAS

Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog
Reactive Species	Human
Human Gene ID	3164
Mouse Gene ID	15370
Rat Gene ID	79240
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
IHC Results	Paraffin embedded Human Breast. Recommended concentration: 5µg/ml.
ELISA Detection Limit	Antibody detection limit dilution 1:32000.
Western Blot	Approx 60kDa band observed in Human Thyroid gland lysates (calculated MW of 64.5kDa according to NP_002126.2 and NP_775180.1). Recommended concentration: 1-3µg/ml. Primary incubation was 1 hour.
Application Type	Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

