


Telephone: (650) 697-3600

GOAT ANTI-OGFR ANTIBODY

SKU: EB07082

everest



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

met-enkephalin receptor|zeta-type opioid receptor|7-60 protein|HGNC:15768|opioid growth factor receptor|OGFR Alias

Names

Immunofluorescence: Strong expression of the protein seen in the nuclei of A431 and U2OS Usage cells. Recommended concentration: 10µg/ml. Flow Cytometry: Flow cytometric analysis of

A431 cells. Recommended concentration: 10ug/ml.

Accession

Summary

NP_031372.2

Blocking

EBP07082 **Peptide**





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

Immunogen NP_031372.2. Peptide with sequence C-QDAEVESSAKSGK, from the C Terminus of the protein sequence according to

Peptide Sequence

C-QDAEVESSAKSGK

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using

Method the immunizing peptide.

Refrigerated Instructions

Predicted Species

Human

Reactive

Human **Species**

Human

11054 Gene ID

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_plus_medium.png

ELISA

Detection Antibody detection limit dilution 1:4000.

Limit

Western Approx 75kDa band observed in nuclear cell lysates of HEK293 and A431 (calculated MW of 73.3kDa according to

Blot NP_031372.2) Recommended concentration: 1-3μg/ml. Primary incubation 1 hour at room temperature.

Application

Type

Pep-ELISA, WB, IF, FC

GALLERY IMAGES



Telephone: (650) 697-3600



