

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-OGG1 (MOUSE) ANTIBODY

SKU: EB07884



Telephone: (650) 697-3600




250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa 20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias Mmh|8-oxoguanine DNA glycosylase|Ogg1

Names

Accession

NP_035087.2

Blocking

EBP07884 **Peptide**

Peptide with sequence C-HPKTSQAKGPSPLANK, from the internal region of the protein sequence according to **Immunogen**

NP 035087.2.

Peptide Sequence

C-HPKTSQAKGPSPLANK

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Species

Mouse, Rat

18294

Reactive

Human, Rat **Species**

Mouse

Gene ID

Rat Gene ID 81528

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Kidney. Recommended concentration: 5µg/ml.

ELISA

Detection Antibody detection limit dilution 1:128000.

Limit

Western

Approx 37kDa band observed in Rat Spleen lysates (calculated MW of 38.7kDa according to Rat NP_110497.1

and 38.8kDa according to Mouse NP 035087.2). Recommended concentration: 0.1-0.3μg/ml. Blot

Application

Pep-ELISA, WB, IHC **Type**

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

