

GOAT ANTI-OSBPL10 ANTIBODY

SKU: EB06972



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	OTTHUMP00000161257 oxysterol-binding protein-related protein 10 oxysterol-binding protein-like protein 10 OSBP-related protein 10 OSBP9 ORP10 FLJ20363 HGNC:16395 oxysterol binding protein-like 10 [Homo sapiens] OSBPL10
Accession ID	NP_060254.2
Blocking Peptide	EBP06972
Immunogen	Peptide with sequence C-DAATEQKRHLEEKQ, from the internal region of the protein sequence according to NP_060254.2.
Peptide Sequence	C-DAATEQKRHLEEKQ
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog
Reactive Species	Human
Human Gene ID	114884
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:32000.
Western Blot	Approx 90kDa band observed in human duodenum and human testes lysates (calculated MW of 84.0kDa according to NP_060254.2). Recommended concentration: 1-3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

