

# GOAT ANTI-PACSIN3 ANTIBODY

**SKU:** EB05271



---

## SPECIFICATIONS

<b>Formulation</b>	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
<b>Unit Size</b>	100 µg
<b>Storage Instructions</b>	Aliquot and store at -20°C. Minimize freezing and thawing.
<b>Synonym / Alias Names</b>	PACSIN3 protein kinase C and casein kinase substrate in neurons 3 SH3 domain-containing protein 6511 SDPIII syndapin III SH3 domain-containing protein 6511
<b>Accession ID</b>	NP_057307.2
<b>Blocking Peptide</b>	EBP05271
<b>Immunogen</b>	Peptide with sequence APEEDAGGEALGGS-C, from the N Terminus of the protein sequence according to NP_057307.2.
<b>Peptide Sequence</b>	APEEDAGGEALGGS-C
<b>Purification Method</b>	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
<b>Shipping Instructions</b>	Refrigerated
<b>Predicted Species</b>	Human, Mouse, Rat
<b>Reactive Species</b>	Human
<b>Human Gene ID</b>	29763
<b>Mouse Gene ID</b>	80708
<b>Rat Gene ID</b>	311187
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png</a>
<b>ELISA Detection Limit</b>	Antibody detection limit dilution 1:4000.
<b>Western Blot</b>	EB05271 (0.03µg/ml) staining of Human Skeletal Muscle lysate (35µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.
<b>Application Type</b>	Pep-ELISA, WB

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

