



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-PACSIN3 ANTIBODY**

**SKU:** EB05271



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa 50kDa

37kDa

25kDa 20kDa

15kDa

10kDa





Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

PACSIN3|protein kinase C and casein kinase substrate in neurons 3|SH3 domain-containing protein

6511|SDPIII|syndapin III|SH3 domain-containing protein 6511

**Accession** 

ID

Names

NP\_057307.2

**Blocking** 

**Peptide** 

EBP05271

**Immunogen** 

Peptide with sequence APEEDAGGEALGGS-C, from the N Terminus of the protein sequence according to

NP 057307.2.

**Peptide** 

Sequence

APEEDAGGEALGGS-C

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

**Shipping** 

Instructions

Refrigerated

**Predicted** 

**Species** 

Human, Mouse, Rat

Reactive

**Species** 

Human

80708

Human

29763 Gene ID

Mouse

**Gene ID** 

**Rat Gene ID** 311187

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png **Grade** 

**ELISA** 

**Detection** Antibody detection limit dilution 1:4000.

Limit

Western EB05271 (0.03μg/ml) staining of Human Skeletal Muscle lysate (35μg protein in RIPA buffer). Primary

incubation was 1 hour. Detected by chemiluminescence. Blot

**Application** 

**Type** 

Pep-ELISA, WB



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GALLERY IMAGES**

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa