

## GOAT ANTI-PALLIDIN ANTIBODY

**SKU:** EB05946

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

---

## SPECIFICATIONS

<b>Formulation</b>	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
<b>Unit Size</b>	100 µg
<b>Storage Instructions</b>	Aliquot and store at -20°C. Minimize freezing and thawing.
<b>Synonym / Alias Names</b>	syntaxin 13-interacting protein pallid syntaxin 13 binding protein 1 pallid (mouse) homolog, pallidin PALLID PA PLDN pallidin pallidin homolog (mouse)
<b>Accession ID</b>	NP_036520.1
<b>Blocking Peptide</b>	EBP05946
<b>Immunogen</b>	Peptide with sequence C-EREKQLTARPAKRM, from the C Terminus of the protein sequence according to NP_036520.1.
<b>Peptide Sequence</b>	C-EREKQLTARPAKRM
<b>Purification Method</b>	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
<b>Shipping Instructions</b>	Refrigerated
<b>Predicted Species</b>	Human, Mouse, Rat, Pig, Cow
<b>Reactive Species</b>	Human
<b>Human Gene ID</b>	26258
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png</a>
<b>ELISA Detection Limit</b>	Antibody detection limit dilution 1:32000.
<b>Western Blot</b>	Approx 23-24kDa band observed in lysates of cell line A431 (calculated MW of 19.7kDa according to NP_036520.1). In transfected HEK293 transiently expressing PLDN a band of approx. 28kDa is observed. This band is not observed in the non-transfected HEK293. Recommended concentration: 1-3µg/ml.
<b>Application Type</b>	Pep-ELISA, WB

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

