


Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-PARD3B (MOUSE) ANTIBODY**

**SKU:** EB10561







250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa



Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / **Alias** 

partitioning defective 3-like protein| partitioning defective 3 homolog B| amyotrophic lateral sclerosis 2 chromosomal region candidate gene 19 protein homolog| PAR3-beta| PAR3-L protein| DN-276013.2| RP23-20G7.1| PAR3beta| PAR3L| PAR3B| Als2cr19| 2810455B10Rik| 2010002N16Rik| 1810008K04Rik|

DN-276O13.2| par-3 partitioning defective 3 homolog B (C. elegans)|Pard3b

**Accession** 

**Names** 

NP 001074519.2

**Blocking** 

EBP10561 **Peptide** 

Peptide with sequence C-RNQDPRQKNP, from the C-Terminus of the protein sequence according to **Immunogen** 

NP 001074519.2.

**Peptide** 

**Sequence** 

C-RNQDPRQKNP

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

**Predicted** 

**Species** 

Mouse, Rat

Reactive

**Species** 

Mouse

Mouse

72823 Gene ID

**Rat Gene ID** 301455

**Product** 

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png

**ELISA** 

**Detection** 

Western

Antibody detection limit dilution 1:32000.

Limit

**Blot** 

Approx 125kDa band observed in Mouse fetal Kidney lysates (calculated MW of 133kDa according to

NP\_001074519.2). Recommended concentration: 0.3-1µg/ml. An additional band of unknown identity was also consistently observed at 150kDa. This band was successfully blocked by incubation with the immunizing

peptide. We would appreciate any feedback from people in the field - have any such results been reported with

other antibodies/lysates? Have any further splice variants/modified forms been reported?

**Application** 

**Type** 

Pep-ELISA, WB



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GALLERY IMAGES**

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa