

GOAT ANTI-PCDH17 (AA1098-111) ANTIBODY

SKU: EB11246

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym /

Alias PCDH17| protocadherin-68| protocadherin-17| protocadherin 68| protocadherin 17| PCH68| PCDH68
Names

Accession ID NP_001035519.1

Blocking Peptide EBP11246

Immunogen Peptide with sequence C-RVFADVHSRASRDS, from the internal region (near C Terminus) of the protein sequence according to NP_001035519.1.

Peptide Sequence C-RVFADVHSRASRDS

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Pig, Cow

Reactive Species Mouse

Human Gene ID 27253

Mouse Gene ID 219228

Rat Gene ID 306055

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:8000.

Western Blot Approx 150kDa band observed in Mouse fetal Brain lysates (calculated MW of 126kDa according to Human NP_001035519.1 and Mouse NP_001013775.2). Recommended concentration: 0.1-0.3µg/ml.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa