

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-PDIA3 / ERP57 / GRP58 ANTIBODY

SKU: EB05735



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

PDIA3|GRP58|ERp57|protein disulfide isomerase family A, member 3|ERp60|ERp61|GRP57|HsT17083|P58|PI-PLC|58 kDa microsomal protein|endoplasmic reticulum P58|glucose regulated protein, 58kDa|phospholipase C-

alpha|protein disulfide isomerase-associated 3|ER60|protein disulfide-isomerase A3 Names

Accession

ID

Alias

NP_005304.3

Blocking

Peptide

EBP05735

Immunogen

Peptide with sequence C-EEKPKKKKKAQEDL, from the C Terminus of the protein sequence according to

NP 005304.3.

Peptide

Sequence

C-EEKPKKKKKAQEDL

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Predicted

Species

Human, Mouse, Rat, Cow

Reactive

Species

Human, Mouse

Human

Gene ID

2923

Mouse

Gene ID

14827 Rat Gene ID 29468

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection

Antibody detection limit dilution 1:4000.

Limit

Western

Approx 60kDa band observed in lysates of cell lines NIH3T3, HepG2 and Daudi (calculated MW of 56.8kDa according to NP_005304.3). Recommended concentration: 0.1-0.3µg/ml. Primary incubation was for 1 hour.

Application

Type

Blot

Pep-ELISA, WB



Telephone: (650) 697-3600



GALLERY IMAGES

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa