


GOAT ANTI-PEBP1 / RKIP (INTERNAL) ANTIBODY

SKU: EB07477



250kDa
150kDa
100kDa
75kDa
50kDa
37kDa
25kDa
20kDa
15kDa
10kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	Raf kinase inhibitory protein PEBP-1 neuropolypeptide h3 hippocampal cholinergic neurostimulating peptide HEL-S-96 HEL-S-34 HEL-210 HCNPPp epididymis secretory protein Li 96 epididymis secretory protein Li 34 epididymis luminal protein 210 RAF kinase inhibitor protein prostatic binding protein PEBP PBP HCNP phosphatidylethanolamine binding protein 1 RKIP PEBP1
Accession ID	NP_002558.1
Blocking Peptide	EBP07477
Immunogen	Peptide with sequence C-DPDAPSRKDPKYRE, from the internal region of the protein sequence according to NP_002558.1.
Peptide Sequence	C-DPDAPSRKDPKYRE
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Pig, Cow
Reactive Species	Human
Human Gene ID	5037
Mouse Gene ID	23980
Rat Gene ID	29542
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
IHC Results	Paraffin embedded Human Adrenal Gland and Kidney. Recommended concentration: 5µg/ml.
ELISA Detection Limit	Antibody detection limit dilution 1:128000.
Western Blot	Approx 21kDa band observed in Human Prostate lysates (calculated MW of 21.1kDa according to NP_002558.1). Recommended concentration: 0.01-0.03µg/ml.
Application Type	Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

