

# GOAT ANTI-PEG12 / FRAT3 (MOUSE) ANTIBODY

SKU: EB05376



## SPECIFICATIONS

<b>Formulation</b>	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
<b>Unit Size</b>	100 µg
<b>Storage Instructions</b>	Aliquot and store at -20°C. Minimize freezing and thawing.
<b>Synonym / Alias Names</b>	frequently rearranged in advanced T-cell lymphomas 3 paternally expressed 12 Frat3 Peg12
<b>Accession ID</b>	NP_038816.1
<b>Blocking Peptide</b>	EBP05376
<b>Immunogen</b>	Peptide with sequence C-SLAANNPGGHSTNL, from the C Terminus of the protein sequence according to NP_038816.1.
<b>Peptide Sequence</b>	C-SLAANNPGGHSTNL
<b>Purification Method</b>	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
<b>Shipping Instructions</b>	Refrigerated
<b>Predicted Species</b>	Mouse
<b>Mouse Gene ID</b>	27412
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/aspiring_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/aspiring_medium.png</a>
<b>ELISA Detection Limit</b>	Antibody detection limit dilution 1:2000.
<b>Western Blot</b>	Preliminary experiments in lysates of cell line NIH3T3 and in lysates of fetal Mouse Brain, Lung, Kidney and Skeletal Muscle gave no specific signal but low background (at antibody concentration up to 1µg/ml). We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates?
<b>Application Type</b>	Pep-ELISA

## DOCUMENTS

- [Data Sheet](#)