


## GOAT ANTI-PGC-1BETA / PERC ANTIBODY

SKU: EB06764



## SPECIFICATIONS

**Formulation** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

**Storage Instructions** Aliquot and store at -20°C. Minimize freezing and thawing.

**Synonym /** peroxisome proliferator-activated receptor gamma coactivator 1 beta|PGC-1-related estrogen receptor alpha

**Alias** coactivator|peroxisome proliferative activated receptor, gamma, coactivator 1,

**Names** beta|PGC-1(beta)|PGC1B|PERC|PPARGC1B

**Accession ID** NP\_573570.2

**Blocking Peptide** EBP06764

**Immunogen** Peptide with sequence AGNDCGALLDEELS, from the N Terminus of the protein sequence according to NP\_573570.2.

**Peptide Sequence** AGNDCGALLDEELS

**Purification Method** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

**Shipping Instructions** Refrigerated

<b>Predicted Species</b>	Human, Mouse, Rat, Dog
<b>Reactive Species</b>	Human
<b>Human Gene ID</b>	133522
<b>Mouse Gene ID</b>	170826
<b>Rat Gene ID</b>	291567
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png</a>
<b>IHC Results</b>	In paraffin embedded Human Skeletal Muscle shows nuclear staining in muscle fibre cells. Recommended concentration, 3-6 $\mu$ g/ml.
<b>ELISA Detection Limit</b>	Antibody detection limit dilution 1:4000.
<b>Application Type</b>	Pep-ELISA, IHC

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

