




Telephone: (650) 697-3600

GOAT ANTI-PHLDA3 / TIH1 ANTIBODY



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

OTTHUMP00000033920|pleckstrin homology-like domain, family A, member 2|pleckstrin homology-like

domain, family A, member 3|TIH1|PHLDA3

Accession

Names

ID

NP_036528.1

Blocking

Peptide EBP06168

Immunogen

Peptide with sequence C-RARQSLGTGTLVS, from the C Terminus of the protein sequence according to

NP_036528.1.

Peptide

C-RARQSLGTGTLVS

Sequence Purification

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions Refrigerated

Predicted

Species

Human, Mouse, Rat

Reactive

Species Human

Human

Gene ID

Mouse

Gene ID

Product

Grade

ELISA

Detection Antibody detection limit dilution 1:16000.

Limit

Western
Blot

In transfected HEK293 transiently expressing full-length Human PHLDA3 (myc and DYKDDDDK tagged), a band of approx. 18kDa was observed. No bands were observed in mock-transfected HEK293 and the same band was

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

observed using anti-myc tag antibody. Recommended concentration: 0.2-1µg/ml.

Application

Type Pep-ELISA, WB-Trf

GALLERY IMAGES





Telephone: (650) 697-3600



