

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-PIAS2 (AA185-196) ANTIBODY

SKU: EB09879



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

MGC102682|miz|MIZ1|Msx-interacting-zinc finger|PIASX|PIASX-ALPHA|PIASX-BETA|protein inhibitor of activated **Alias** STAT X|protein inhibitor of activated STAT, 2|SIZ2|zinc finger, MIZ-type containing 4|ZMIZ4|PIAS2

Names **Accession**

NP_775298.1; NP_004662.2

Blocking

ID

EBP09879 **Peptide**

Peptide with sequence PQQVREICISRD, from the internal region of the protein sequence according to **Immunogen**

NP_775298.1; NP_004662.2.

Product Comments

This antibody is expected to recognize both reported isoforms (NP 775298.1; NP 004662.2).

Peptide

PQQVREICISRD Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat, Dog, Cow

Species Reactive

Human **Species**

Human

9063

Gene ID Mouse

17344 Gene ID

Rat Gene ID 83422

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

Grade **ELISA**

Detection

Antibody detection limit dilution 1:16000.

Limit

Western Approx 60kDa band observed in Human Spleen and Peripheral Mononucleocytes lysates (calculated MW of

63.4kDa according to NP_775298.1). Recommended concentration: 1-3µg/ml. **Blot**

Application

Type

Pep-ELISA, WB



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GALLERY IMAGES

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa