

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-PNP (AA142-153) ANTIBODY

SKU: EB11991



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

PNP|purine nucleoside phosphorylase|NP|PRO1837|PUNP|inosine phosphorylase|purine-

nucleoside:orthophosphate ribosyltransferase

Accession

Alias

Names

NP_000261.2

Blocking

Peptide

EBP11991

Immunogen

Peptide with sequence C-SGQNPLRGPNDE, from the internal region of the protein sequence according to

NP 000261.2.

Peptide Sequence

C-SGQNPLRGPNDE

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method

using the immunizing peptide.

Shipping

Refrigerated Instructions

Human

Predicted

Species

Human, Mouse, Rat

Reactive

Species

Human

4860 Gene ID

Product

Grade

 $https://prod-vector-labs-pimcore-assets.s 3. us-east-1. a mazon aws.com/assets/products/image/elite_medium.png$

IHC Results Paraffin embedded Human Tonsil and Kidney. Recommended concentration: 5µg/ml.

ELISA

Detection Antibody detection limit dilution 1:128000.

Limit

Western Blot

Approx 30kDa band observed in lysates of Human Liver, Erythrocytes and of cell lines Daudi, Jurkat and K562 (calculated MW of 32.1kDa according to NP_000261.2). Recommended concentration: 0.03-0.1µg/ml. Primary

incubation was 1 hour.

Application

Type

Pep-ELISA, WB, IHC

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



