



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-POLDIP2 ANTIBODY

SKU: EB10591



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

polymerase delta-interacting protein 2| polymerase delta interacting protein 38| p38| 38 kDa DNA polymerase

Alias delta interaction protein| POLD4| PDIP38| DKFZp586F1524| polymerase (DNA-directed), delta interacting

protein 2|POLDIP2 Names

Accession

ID

NP_056399.1

Blocking

Peptide

EBP10591

Peptide with sequence KTHTYYQVLIDARDC, from the internal region of the protein sequence according to **Immunogen**

NP 056399.1.

Peptide

Sequence

KTHTYYQVLIDARDC

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Predicted

Species

Human, Rat, Dog, Cow

Reactive

Species

Human, Mouse, Rat

Human

Gene ID

26073 67811

Mouse

Gene ID

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png Grade

ELISA

Detection

Antibody detection limit dilution 1:8000.

Limit

Western Blot

Approx 37kDa band observed in lysates of cell lines K562 and MCF7 and of Mouse Liver (calculated MW of 42.0kDa according to NP_056399.1). Approx 37kDa band observed in Rat Vascular Smooth Muscle Cells

lysates. The band dimished upon siRNA knock down. Recommended concentration: 1-3µg/ml.

Application

Type


Pep-ELISA, WB


GALLERY IMAGES





Telephone: (650) 697-3600





25kDa

20kDa