
www.everestbiotech.com
Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600

GOAT ANTI-POLO-LIKE KINASE 3 (AA320-333) ANTIBODY

SKU: EB12012



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	serine/threonine-protein kinase PLK3|proliferation-related kinase|cytokine-inducible serine/threonine-protein kinase|cytokine-inducible kinase|PLK-3|FGF-inducible kinase|PRK|FNK|CNK|polo-like kinase 3|PLK3
Accession ID	NP_004064.2
Blocking Peptide	EBP12012
Immunogen	Peptide with sequence PDRLPISSCVTVPD, from the internal region of the protein sequence according to NP_004064.2.
Peptide Sequence	PDRLPISSCVTVPD
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	1263
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
IHC Results	In paraffin embedded Human Kidney shows vesicular staining in the cystoplasm of collective tubules. Recommended concentration, 5-10µg/ml.
ELISA Detection Limit	Antibody detection limit dilution 1:128000.
Western Blot	Approx 70kDa band observed in lysates of cell line HeLa (calculated MW of 71.6kDa according to NP_004064.2). Recommended concentration: 1-3µg/ml. Primary incubation 1 hour at rroom temperature.
Application Type	Pep-ELISA, WB, IHC

DOCUMENTS

- Data Sheet

GALLERY IMAGES

www.everestbiotech.com
Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600

