



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-POLR2G ANTIBODY**

**SKU:** EB09533



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

RNA polymerase II seventh subunit|DNA directed RNA polymerase II polypeptide G|DNA directed RNA polymerase II 19 kda polypeptide|hsRPB7|hRPB19|RPB7|MGC138369|MGC138367|polymerase (RNA) II (DNA

directed) polypeptide G|POLR2G Names

**Accession** 

**Alias** 

NP\_002687.1 ID

**Blocking** 

EBP09533 **Peptide** 

Peptide with sequence EFDPNSNPPCYK, from the internal region of the protein sequence according to **Immunogen** 

NP 002687.1.

**Peptide** Sequence

**EFDPNSNPPCYK** 

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

**Shipping** 

Refrigerated Instructions

**Predicted** 

Human, Mouse, Rat, Sheep **Species** 

Reactive

Human **Species** 

Human

5436 Gene ID

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png Grade

**ELISA** 

**Detection** Antibody detection limit dilution 1:1000.

Limit

Western Approx 21kDa band observed in Human Brain (Cerebellum) lysates (calculated MW of 19.3kDa according to

**Blot** NP\_002687.1). Recommended concentration: 1-3µg/ml.

**Application** 

Pep-ELISA, WB **Type** 

## **GALLERY IMAGES**



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa