



Telephone: (650) 697-3600

## **GOAT ANTI-PON1 / PARAOXONASE 1 ANTIBODY**

**SKU:** EB09286







250kDa 150kDa 100kDa 50kDa 37kDa

25kDa 20kDa

15kDa





Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

**Alias** esterase A|PON|ESA|paraoxonase 1|PON1

Names

ID

**Accession** 

NP\_000437.3

**Blocking** 

EBP09286 **Peptide** 

Peptide with sequence C-EEPKVTQVYAEN, from the internal region of the protein sequence according to **Immunogen** 

NP 000437.3.

**Peptide** 

C-EEPKVTQVYAEN Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

**Shipping** 

Refrigerated Instructions

**Predicted** 

Human **Species** 

Reactive

Human **Species** 

Human

5444 Gene ID

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png Grade

**ELISA** 

**Detection** Antibody detection limit dilution 1:2000.

Limit

Western Approx. 37kDa band observed in Human Liver lysates (calculated MW of 39.7kDa according to NP\_000437.3).

**Blot** Recommended concentration: 1-3µg/ml. Primary incubation was 1 hour.

**Application** 

Pep-ELISA, WB **Type** 

## **GALLERY IMAGES**



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa

25kDa

20kDa

15kDa