

GOAT ANTI-POU2F2 / OCT2 ANTIBODY

SKU: EB10022

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	POU2F2 POU domain, class 2, transcription factor 2 POU class 2 homeobox 2 OTF2 Oct-2 OCT2 homeobox
Alias	protein
Names	
Accession ID	NP_002689.1
Blocking Peptide	EBP10022
Immunogen	Peptide with sequence C-SPTGPSTKIKaed, from the internal region of the protein sequence according to NP_002689.1.
Peptide Sequence	C-SPTGPSTKIKaed
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Pig
Reactive Species	Human
Human Gene ID	5452
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA	
Detection Limit	Antibody detection limit dilution 1:64000.
Western Blot	Approx 55kDa band observed in Human Thymus and Tonsil lysates (calculated MW of 49.5kDa according to NP_002689.1). Recommended concentration: 0.5-1.5µg/ml. An additional band of unknown identity was also consistently observed at 25kDa. This band was successfully blocked by incubation with the immunizing peptide.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa