



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-POU2F3 ANTIBODY**

**SKU:** EB10024



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

POU2F3|Skn-1a|POU transcription factor|POU domain, class 2, transcription factor 3|POU class 2 homeobox

3|PLA-1|OCT11|MGC126698|FLJ40063|Epoc-1

**Accession** 

ID

Names

NP\_055167.2

**Blocking** 

**Peptide** 

EBP10024

**Immunogen** 

Peptide with sequence C-EPHLEASQHLPVPKH, from the internal region of the protein sequence according to

NP 055167.2.

**Peptide** 

Sequence

C-EPHLEASQHLPVPKH

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

**Shipping** 

Instructions

Refrigerated

Human

**Predicted** 

**Species** 

Human, Rat, Dog, Cow

Reactive

**Species** 

Human

25833 Gene ID

**Product** 

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

**ELISA** 

**Detection** 

Antibody detection limit dilution 1:32000.

Limit

**Blot** 

Western

Approx 50kDa band observed in lysates of cell lines HEK293 and HepG2 (calculated MW of 47.4kDa according

to NP\_055167.2). Recommended concentration: 1-3µg/ml.

**Application** 

Type

Pep-ELISA, WB

## **GALLERY IMAGES**



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa