

GOAT ANTI-POU2F3 ANTIBODY

SKU: EB10024

250kDa
150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	POU2F3 Skn-1a POU transcription factor POU domain, class 2, transcription factor 3 POU class 2 homeobox
Alias	3 PLA-1 OCT11 MGC126698 FLJ40063 Epoc-1
Names	
Accession ID	NP_055167.2
Blocking Peptide	EBP10024
Immunogen	Peptide with sequence C-EPHLEASQHLPVPKH, from the internal region of the protein sequence according to NP_055167.2.
Peptide Sequence	C-EPHLEASQHLPVPKH
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Rat, Dog, Cow
Reactive Species	Human
Human Gene ID	25833
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:32000.
Western Blot	Approx 50kDa band observed in lysates of cell lines HEK293 and HepG2 (calculated MW of 47.4kDa according to NP_055167.2). Recommended concentration: 1-3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa