
www.everestbiotech.com
Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600

GOAT ANTI-PP2A / PPP2R1A ANTIBODY

SKU: EB06717



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	protein phosphatase 2 (formerly 2A), regulatory subunit A (PR 65), alpha isoform|medium tumor antigen-associated 61 KDA protein|alpha isoform of regulatory subunit A, protein phosphatase 2|PR65A|protein phosphatase 2 (formerly 2A), regulatory subunit A, alpha isoform|Serine/threonine protein phosphatase 2A, 65 KDA regulatory subunit A, alpha isoform|medium tumor antigen-associated 61 KDA protein|PP2A, subunit A, PR65-alpha isoform|PP2A, subunit A, R1-alpha isoform|protein phosphatase 2 (formerly 2A), regulatory subunit A (PR 65), alpha isoform|MGC786|PPP2R1A
Accession ID	NP_055040.2
Blocking Peptide	EBP06717
Immunogen	Peptide with sequence C-KYFAQEALTVLSLA, from the C Terminus of the protein sequence according to NP_055040.2.
Peptide Sequence	C-KYFAQEALTVLSLA

Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Pig, Cow
Reactive Species	Human
Human Gene ID	5518
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:4000.
Western Blot	Approx 60-65kDa band observed in Human Thymus and Human Lymph node lysates (calculated MW of 65.3kDa according to NP_055040.2). Recommended concentration: 2-6µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- Data Sheet

GALLERY IMAGES

www.everestbiotech.com
Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600

