




GOAT ANTI-PP2A / PPP2R1A ANTIBODY

SKU: EB06717



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size

100 µg

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / **Alias**

Names

protein phosphatase 2 (formerly 2A), regulatory subunit A (PR 65), alpha isoform|medium tumor antigenassociated 61 KDA protein|alpha isoform of regulatory subunit A, protein phosphatase 2|PR65A|protein phosphatase 2 (formerly 2A), regulatory subunit A, alpha isoform|Serine/threonine protein phosphatase 2A, 65 KDA regulatory subunit A, alpha isoform|medium tumor antigen-associated 61 KDA protein|PP2A, subunit A, PR65-alpha isoform|PP2A, subunit A, R1-alpha isoform|protein phosphatase 2 (formerly 2A), regulatory subunit

A (PR 65), alpha isoform|MGC786|PPP2R1A

Accession

NP_055040.2

Blocking Peptide

ID

EBP06717

Immunogen

Peptide with sequence C-KYFAQEALTVLSLA, from the C Terminus of the protein sequence according to

NP 055040.2.

Peptide

C-KYFAQEALTVLSLA Sequence





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping Refrig

_ Refrigerated

Predicted

Species Human, Mouse, Rat, Dog, Pig, Cow

Reactive Species

Human

Human

Gene ID 5518

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

Grade ELISA

Detection Antibody detection limit dilution 1:4000.

Limit

Blot

Western Approx 60-65kDa band observed in Human Thymus and Human Lymph node lysates (calculated MW of

65.3kDa according to NP_055040.2). Recommended concentration: 2-6µg/ml.

Application

Type

Pep-ELISA, WB

GALLERY IMAGES





Telephone: (650) 697-3600



