


GOAT ANTI-PP2A / PPP2R1A ANTIBODY

SKU: EB06717



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / Alias Names protein phosphatase 2 (formerly 2A), regulatory subunit A (PR 65), alpha isoform|medium tumor antigen-associated 61 KDA protein|alpha isoform of regulatory subunit A, protein phosphatase 2|PR65A|protein phosphatase 2 (formerly 2A), regulatory subunit A, alpha isoform|Serine/threonine protein phosphatase 2A, 65 KDA regulatory subunit A, alpha isoform|medium tumor antigen-associated 61 KDA protein|PP2A, subunit A, PR65-alpha isoform|PP2A, subunit A, R1-alpha isoform|protein phosphatase 2 (formerly 2A), regulatory subunit A (PR 65), alpha isoform|MGC786|PPP2R1A

Accession ID NP_055040.2

Blocking Peptide EBP06717

Immunogen Peptide with sequence C-KYFAQEALTVLSLA, from the C Terminus of the protein sequence according to NP_055040.2.

Peptide Sequence C-KYFAQEALTVLSLA

| | |
|------------------------------|---|
| Purification Method | Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. |
| Shipping Instructions | Refrigerated |
| Predicted Species | Human, Mouse, Rat, Dog, Pig, Cow |
| Reactive Species | Human |
| Human Gene ID | 5518 |
| Product Grade | https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png |
| ELISA Detection Limit | Antibody detection limit dilution 1:4000. |
| Western Blot | Approx 60-65kDa band observed in Human Thymus and Human Lymph node lysates (calculated MW of 65.3kDa according to NP_055040.2). Recommended concentration: 2-6µg/ml. |
| Application Type | Pep-ELISA, WB |

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

