

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-PRDM11 ANTIBODY

SKU: EB05718



Email: customerservice@vectorlabs.com

Telephone: <u>(650)</u> 697-3600

250kDa 150kDa 100kDa 75kDa 50kDa

37kDa

25kDa

20kDa

15kDa

10kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

PRDM11|PR domain containing 11|PR-domain containing protein 11|PFM8

Names

Accession

NP_064614.2

Blocking

EBP05718 **Peptide**

Peptide with sequence LSEGRVRSGLCGG, from the C Terminus of the protein sequence according to **Immunogen**

NP 064614.2.

Peptide

LSEGRVRSGLCGG Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human **Species**

Reactive

Human **Species**

Human

56981 **Gene ID**

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png Grade

IHC Results Paraffin embedded Human Brain (Cortex). Recommended concentration: 5µg/ml.

ELISA

Detection Antibody detection limit dilution 1:32000.

Limit

Blot

Approx 50kDa band observed in Human Lung Carcinoma A549 cell line lysates (calculated MW of 58kDa Western

according to NP_064614.2). Recommended concentration: 2-3µg/ml.

Application

Pep-ELISA, WB, IHC **Type**

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

