

Telephone: (650) 697-3600

GOAT ANTI-PREFOLDIN ANTIBODY

SKU: EB06290



Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa


37kDa

25kDa

20kDa

15kDa

10kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias PFDN1|PDF|PFD1|prefoldin 1|prefoldin subunit 1

Names

ID

Accession

NP_002613.2

Blocking

EBP06290 **Peptide**

Peptide with sequence C-DNIREMLMARRAQ, from the C Terminus of the protein sequence according to **Immunogen**

NP 002613.2.

Peptide Sequence

C-DNIREMLMARRAQ

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat, Dog, Cow **Species**

Reactive

Human **Species**

Human

5201 Gene ID

Mouse

67199 **Gene ID**

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png Grade

ELISA

Detection Antibody detection limit dilution 1:32000.

Limit

Blot

Western

Approx 14kDa band observed in lysates of cell line K562 (calculated MW of 14.2kDa according to

NP_002613.2). Recommended concentration: 1-3μg/ml. An additional band of unknown identity was also consistently observed at 37kDa. This band was successfully blocked by incubation with the immunizing

peptide. We would appreciate any feedback from people in the field - have any such results been reported with

other antibodies/lysates? Have any further splice variants/modified forms been reported?

Application

Pep-ELISA, WB **Type**





Telephone: (650) 697-3600

GALLERY IMAGES



Telephone: <u>(650)</u> 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa