



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-PREX1 ANTIBODY

SKU: EB09549



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

PREX1|phosphatidylinositol-3, 4, 5-trisphosphate-dependent Rac exchange factor 1|KIAA1415|P-REX1|OTTHUMP00000031228|phosphatidylinositol 3, 4, 5-trisphosphate-dependent Rac exchanger 1

Accession

ID

Names

NP_065871.2

Blocking

Peptide

EBP09549

Immunogen

Peptide with sequence C-ERSNLPTDASTTA, from the internal region of the protein sequence according to

NP 065871.2.

Peptide

Sequence

C-ERSNLPTDASTTA

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Predicted

Species

Human, Mouse, Rat, Dog, Cow

Reactive

Species

Human

Human Gene ID

57580

Mouse

277360

Gene ID

Rat Gene ID 311647

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Testis. Recommended concentration: 10µg/ml.

ELISA

Detection Antibody detection limit dilution 1:16000.

Limit

Western Approx 150kDa band observed in Human Brain (Temporal Cortex) lysates (calculated MW of 186kDa according

Blot to NP_065871.2). Recommended concentration: 1-3µg/ml.

Application

Pep-ELISA, WB, IHC **Type**



Telephone: (650) 697-3600



GALLERY IMAGES

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

