

GOAT ANTI-PRKAA2, BIOTINYLATED ANTIBODY

SKU: EB10269-B

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	PRKAA2 protein kinase, AMP-activated, alpha 2 catalytic subunit PRKAA AMPK-alpha-2 chain AMPK2 AMPK AMP-
Alias	activated protein kinase alpha 2 catalytic subunit 5'-AMP-activated protein kinase, catalytic alpha-2 chain
Names	
Accession ID	NP_006243.2
Blocking Peptide	EBP10269-B
Immunogen	Peptide with sequence CPLDALNTTKP., from the internal region of the protein sequence according to NP_006243.2.
Peptide Sequence	CPLDALNTTKP.
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Pig, Cow
Reactive Species	Human
Human Gene ID	5563
Mouse Gene ID	108079
Rat Gene ID	78975
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:16000.
Western Blot	Approx 65kDa band observed in Human Liver lysates (calculated MW of 62.3kDa according to NP_006243.2). Recommended concentration: 0.3-1µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa
150kDa
100kDa
75kDa

50kDa

37kDa

25kDa

20kDa

15kDa