

GOAT ANTI-QUAKING / QKI ANTIBODY

SKU: EB07411

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias Names quaking homolog, KH domain RNA binding|homolog of mouse quaking QKI (KH domain RNA binding protein)|RNA binding protein HQK|QK3|QK|Hqk|DKFZp586I0923|quaking homolog, KH domain RNA binding|QKI

Accession ID NP_006766.1; NP_996735.1; NP_996736.1; NP_996737.1

Blocking Peptide EBP07411

Immunogen Peptide with sequence ETKEKPPTPDY-C, from the N Terminus of the protein sequence according to NP_006766.1; NP_996735.1; NP_996736.1; NP_996737.1.

Product Comments This antibody is expected to recognise all reported isoforms (NP_006766.1; NP_996735.1; NP_996736.1; NP_996737.1).

Peptide Sequence ETKEKPPTPDY-C

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Dog, Pig, Cow

Reactive Species Mouse

Human Gene ID 9444

Mouse Gene ID 19317

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:64000.

Western Blot Approx 38kDa band observed in mouse brain lysates (calculated MW of 35.8kDa according to NP_068681.1). Recommended concentration: 0.3-1µg/ml.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa