

GOAT ANTI-RABRING 7 / BCA2 ANTIBODY

SKU: EB07140

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias ring finger protein 115|breast cancer-associated gene 2|RNF115|CL469780|zinc finger protein
Names 364|ZNF364|BCA2|Rabring 7

Accession ID NP_055270.1

Blocking Peptide EBP07140

Immunogen Peptide with sequence C-DQDNRANERGHQTH, from the internal region of the protein sequence according to NP_055270.1.

Peptide Sequence C-DQDNRANERGHQTH

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Dog

Reactive Species Human

Human Gene ID 27246

Mouse Gene ID 67845

Rat Gene ID 362002

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:32000.

Western Blot Approx 35kDa band observed in Human lysates of cell line HEPG2 (calculated MW of 33.7kDa according to NP_055270.1). Recommended concentration: 0.3-1µg/ml.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa