

GOAT ANTI-RBM3 ANTIBODY

SKU: EB09201

250kDa
150kDa
100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa


SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	RBM3 RNA binding motif (RNP1, RRM) protein 3 IS1-RNPL RNPL OTTHUMP00000025800 OTTHUMP00000025802 RNA binding motif protein 3
Accession ID	NP_006734.1
Blocking Peptide	EBP09201
Immunogen	Peptide with sequence C-DRYSGGNYRDNYDN, from the C Terminus of the protein sequence according to NP_006734.1.
Peptide Sequence	C-DRYSGGNYRDNYDN
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog
Reactive Species	Human
Human Gene ID	5935
Mouse Gene ID	19652
Rat Gene ID	114488
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:2000.
Western Blot	Approx.17kDa band observed in lysates of cell line HepG2 (calculated MW of 17.2kDa according to NP_006734.1). Recommended concentration: 0.01-0.03µg/ml. An additional band of unknown identity was also consistently observed at 48kDa. This band was successfully blocked by incubation with the immunizing peptide. We would appreciate any feedback from people in the field - have any such results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported?
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES



250kDa

150kDa

100kDa

75kDa


50kDa

37kDa



25kDa

20kDa



15kDa