

GOAT ANTI-RIBOSOMAL PROTEIN L8, BIOTINYLATED ANTIBODY

SKU: EB07869-B



250kDa
150kDa
100kDa
75kDa
50kDa
37kDa
25kDa
20kDa
15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	
Alias	60S ribosomal protein L8 L8 ribosomal protein L8 RPL8
Names	
Accession ID	NP_000964.1
Blocking Peptide	EBP07869-B
Immunogen	Peptide with sequence KAGRAYHKYKAKRNC., from the internal region of the protein sequence according to NP_000964.1.
Product Comments	Reported variants represent identical protein: NP_000964.1, NP_150644.1, NP_001304700.1, NP_001304711.1
Peptide Sequence	KAGRAYHKYKAKRNC.
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog
Reactive Species	Human
Human Gene ID	6132
Mouse Gene ID	26961
Rat Gene ID	26962
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:128000.
Western Blot	Approx 28kDa band observed in lysates of cell line HepG2 (calculated MW of 28.0kDa according to NP_000964.1). See non-biotinylated parental product's datasheet for further QC data. Recommended concentration: 0.1-0.3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa