

# GOAT ANTI-RNF2 / DING ANTIBODY

**SKU:** EB05834



250kDa  
150kDa  
100kDa  
75kDa  
50kDa  
37kDa  
25kDa  
20kDa  
15kDa

## SPECIFICATIONS

<b>Formulation</b>	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
<b>Unit Size</b>	100 µg
<b>Storage Instructions</b>	Aliquot and store at -20°C. Minimize freezing and thawing.
<b>Synonym / Alias Names</b>	GS1-120K12.1 HIPI3, RING1B, RING2 BAP1 Bap-1 BAP-1 ring finger protein 2 DING RNF2
<b>Accession ID</b>	NP_009143.1
<b>Blocking Peptide</b>	EBP05834
<b>Immunogen</b>	Peptide with sequence C-PMELYAPTKEHK, from the C Terminus of the protein sequence according to NP_009143.1.
<b>Peptide Sequence</b>	C-PMELYAPTKEHK
<b>Purification Method</b>	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
<b>Shipping Instructions</b>	Refrigerated
<b>Predicted Species</b>	Human, Mouse, Dog, Cow
<b>Reactive Species</b>	Human
<b>Human Gene ID</b>	6045
<b>Mouse Gene ID</b>	19821
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png</a>
<b>ELISA Detection Limit</b>	Antibody detection limit dilution 1:4000.
<b>Western Blot</b>	Approx. 37-38kDa band observed in lysates of cell lines of NIH3T3 and K562 (calculated MW of 37.7kDa according to NP_009143.1). Recommended concentration: 0.3-1µg/ml.
<b>Application Type</b>	Pep-ELISA, WB

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

