

Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-RNF2 / DING ANTIBODY**

**SKU:** EB05834



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa 50kDa

37kDa

25kDa 20kDa

15kDa



Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

GS1-120K12.1|HIPI3, RING1B, RING2|BAP1|Bap-1|BAP-1|ring finger protein 2|DING|RNF2

**Alias** Names

**Accession** 

NP\_009143.1

**Blocking** 

**Peptide** 

EBP05834

Peptide with sequence C-PMELYYAPTKEHK, from the C Terminus of the protein sequence according to **Immunogen** 

NP 009143.1.

**Peptide** 

C-PMELYYAPTKEHK Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

**Shipping** 

Refrigerated Instructions

**Predicted** 

Human, Mouse, Dog, Cow **Species** 

Reactive

Human **Species** 

Human

6045 Gene ID

Mouse

19821 **Gene ID** 

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png Grade

**ELISA** 

**Detection** Antibody detection limit dilution 1:4000.

Limit

Western Approx. 37-38kDa band observed in lysates of cell lines of NIH3T3 and K562 (calculated MW of 37.7kDa

**Blot** according to NP\_009143.1). Recommended concentration: 0.3-1µg/ml.

**Application** 

Pep-ELISA, WB Type

## **GALLERY IMAGES**



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa 50kDa

37kDa

25kDa

20kDa

15kDa