

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-RNF39 / LIRF ANTIBODY

SKU: EB05820



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa



Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

RNF39|LIRF|ring finger protein 39|HZFW1|HZFw1 protein|LTP (long-term potentiation) induced RING finger **Alias**

protein|DADB-60011.8|HZF|HZFW Names

Accession

NP_079512.1; NP_739575.1 ID

Blocking

EBP05820 **Peptide**

Peptide with sequence CDPRAPLRIVPAES, from the C Terminus of the protein sequence according to **Immunogen**

NP_079512.1; NP_739575.1.

Product This antibody is expected to recognize 2 of the 3 reported isoforms (NP_079512.1 and NP_739575.1 but not

Comments NP_739576.1)

Peptide

CDPRAPLRIVPAES Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Rat, Pig **Species**

Reactive

Human **Species**

Human

80352 Gene ID

Rat Gene ID 171387

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Small Intestine. Recommended concentration: 10µg/ml.

ELISA

Detection Antibody detection limit dilution 1:16000.

Limit

Western Approx 40kDa band observed in Human Brain lysates (predicted MWs of 41kDa and 48kDa according to

Blot NP_079512.1 and NP_739575.1). Recommended for use at 1-3µg/ml.

Application

Pep-ELISA, WB, IHC **Type**







GALLERY IMAGES

250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

