

GOAT ANTI-RUTBC3 ANTIBODY

SKU: EB09468



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	small G protein signaling modulator 3 protein merlin-associated protein merlin binding protein RUN and TBC1 domain containing 3 RUN and SH3 containing 3 RUTBC3 RUSC3 MAP DKFZp761D051 small G protein signaling modulator 3 SGSM3
Accession ID	NP_056520.2
Blocking Peptide	EBP09468
Immunogen	Peptide with sequence RDHENYVACSRSHRR, from the internal region of the protein sequence according to NP_056520.2.
Peptide Sequence	RDHENYVACSRSHRR
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog
Reactive Species	Human
Human Gene ID	27352
Mouse Gene ID	105835
Rat Gene ID	362963
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:4000.
Western Blot	Approx. 85kDa band observed in lysates of Human Lung carcinoma cell line A549 (calculated MW of 85.4kDa according to NP_056520.2). Recommended concentration: 2-3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

