

GOAT ANTI-RXR GAMMA ANTIBODY

SKU: EB06526

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

SPECIFICATIONS

| | |
|------------------------------|---|
| Formulation | Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. |
| Unit Size | 100 µg |
| Storage Instructions | Aliquot and store at -20°C. Minimize freezing and thawing. |
| Synonym / Alias Names | retinoid X receptor, gamma NR2B3 RXRC RXRG |
| Accession ID | NP_008848.1 |
| Blocking Peptide | EBP06526 |
| Immunogen | Peptide with sequence RQRSRERAEEAEC, from the internal region of the protein sequence according to NP_008848.1. |
| Product Comments | This antibody is expected to recognise an epitope corresponding to aa 213-226 of human RXR gamma protein (hinge region) and does not cross-react with either RXR alpha or beta. |
| Peptide Sequence | RQRSRERAEEAEC |
| Purification Method | Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. |
| Shipping Instructions | Refrigerated |
| Predicted Species | Human, Mouse, Rat, Dog, Pig, Cow |
| Reactive Species | Human |
| Human Gene ID | 6258 |
| Product Grade | https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png |
| ELISA Detection Limit | Antibody detection limit dilution 1:64000. |
| Western Blot | Approx 48kDa band observed in Human Brain lysates (calculated MW of 50.9kDa according to NP_008848). Recommended concentration: 1-3µg/ml. Primary incubation was 1 hour. Some bands of unknown identity were also consistently observed around 37 kDa. These bands were successfully blocked by incubation with the immunising peptide. |
| Application Type | Pep-ELISA, WB |

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

