

GOAT ANTI-SAP130 / SF3B3 ANTIBODY

SKU: EB05543



250kDa
150kDa
100kDa
75kDa
50kDa
37kDa
25kDa
20kDa
15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	SF3b130 splicing factor 3b, subunit 3 spliceosome-associated protein 130 pre-mRNA splicing factor SF3b, 130 kDa subunit STAF130 KIAA0017 SF3B130 RSE1 splicing factor 3b, subunit 3, 130kDa SAP130 SF3B3
Accession ID	NP_036558.3
Blocking Peptide	EBP05543
Immunogen	Peptide with sequence C-VSKKLEDIRTRYAF, from the C Terminus of the protein sequence according to NP_036558.3.
Peptide Sequence	C-VSKKLEDIRTRYAF
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Cow
Reactive Species	Human
Human Gene ID	23450
Mouse Gene ID	101943
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:2000.
Western Blot	Approx 150kDa band observed in nuclear lysates of cell line HeLa (calculated MW of 136kDa according to NP_036558.3). Recommended concentration: 0.1-0.3µg/ml. Preliminary testing was unsuccessful on NIH3T3 for this particular batch. Primary incubated for 1 hour.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

