

## GOAT ANTI-SDHB, BIOTINYLATED ANTIBODY

**SKU:** EB06868-B

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

---

## SPECIFICATIONS

<b>Formulation</b>	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
<b>Unit Size</b>	100 µg
<b>Storage Instructions</b>	Aliquot and store at -20°C. Minimize freezing and thawing.
<b>Synonym / Alias</b>	SDHB succinate dehydrogenase complex, subunit B, iron sulfur (Ip) CWS2 IP PGL4 SDH SDH1 SDH2 SDHIP iron-sulfur subunit of complex II FLJ92337
<b>Names</b>	
<b>Accession ID</b>	NP_002991.2
<b>Blocking Peptide</b>	EBP06868-B
<b>Immunogen</b>	Peptide with sequence C-ATYKEKKASV., from the C Terminus of the protein sequence according to NP_002991.2.
<b>Peptide Sequence</b>	C-ATYKEKKASV.
<b>Purification Method</b>	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
<b>Shipping Instructions</b>	Refrigerated
<b>Predicted Species</b>	Human
<b>Reactive Species</b>	Human
<b>Human Gene ID</b>	6390
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png</a>
<b>ELISA</b>	
<b>Detection Limit</b>	Antibody detection limit dilution 1:32000.
<b>Western Blot</b>	Approx 28kDa band observed in Human Liver lysates (calculated MW of 31.6kDa according to NP_002991.1). See non-biotinylated parental product's datasheet for further QC data. Recommended concentration: 0.1-0.3µg/ml.
<b>Application Type</b>	Pep-ELISA, WB

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa