

GOAT ANTI-SH2D1A / SAP ANTIBODY

SKU: EB06826

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / Alias SH2D1A|SAP|SH2 domain protein 1A, Duncan\1s disease (lymphoproliferative syndrome)|HGNC:10820|DSHP|EBVS|IMD5|LYP|MTCP1|XLP1|XLPD|SH2 domain protein 1A|SLAM (signaling lymphocyte activation molecule) associated protein|RP5-1052M9.3|FLJ18687|FLJ92177|SLAM-associated protein|T cell signal transduction molecule SAP|signaling lymphocyte activation molecule-associated protein

Names Usage Immunoprecipitation: This antibody was deemed fit for IP under native conditions (observations from anonymous customer).

Accession ID NP_002342.1; NP_001108409.1

Blocking Peptide EBP06826

Immunogen Peptide with sequence C-HKRYFRKIKN, from the internal region of the protein sequence according to NP_002342.1; NP_001108409.1.

Peptide Sequence C-HKRYFRKIKN

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat

Reactive Species Human

Human Gene ID 4068

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:16000.

Western Blot Approx 16kDa band observed in Human Thymus lysates (calculated MW of 14.2xkDa according to NP_002342.1). In transfected HEK293 transiently expressing SH2D1A a band of approx. 16kDa is observed. This band is not observed in the non-transfected HEK293. Recommended concentration: 0.3-1µg/ml.

Application Type Pep-ELISA, WB, IP

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa
150kDa
100kDa
75kDa
50kDa
37kDa

25kDa
20kDa

15kDa
10kDa

