

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-SH2D3A / NSP1 ANTIBODY

SKU: EB09216

Telephone: (650) 697-3600







250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa 20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / **Alias**

SH2D3A|NSP1|SH2 domain containing 3A|SH2 domain-containing 3A|novel SH2-containing protein 1

Names

Accession

NP_005481.2

Blocking

Peptide

EBP09216

Immunogen

Peptide with sequence C-APRAERFEKFQR, from the internal region (near C terminus) of the protein sequence

according to NP_005481.2.

Peptide

Sequence

C-APRAERFEKFOR

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human

Species

Reactive Human

Species

Human

10045 Gene ID

Product

 $https://prod-vector-labs-pimcore-assets.s 3. us-east-1. a mazon aws.com/assets/products/image/elite_medium.png$ Grade

IHC Results Paraffin embedded Human Colon. Recommended concentration: 5µg/ml.

ELISA

Detection Antibody detection limit dilution 1:16000.

Limit

Western **Blot**

Approx. 60kDa band observed in Human Lung and Tonsil lysates (calculated MW of 63.1kDa according to NP_005481.2). Recommended concentration: 0.1-0.3µg/ml. Primary incubation was 1 hour.

Application

Type

Pep-ELISA, WB, IHC

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa 20kDa

15kDa

