

## GOAT ANTI-SIAHBP1 / FIR ANTIBODY

**SKU:** EB05683

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

---

## SPECIFICATIONS

**Formulation** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

**Storage Instructions** Aliquot and store at -20°C. Minimize freezing and thawing.

**Synonym /** Ro ribonucleoprotein binding protein 1|FBP interacting repressor|FLJ31379|poly-U binding splicing factor

**Alias** 60KDa|pyrimidine tract binding splicing factor|Ro ribonucleoprotein-binding protein 1|poly-U binding splicing

**Names** factor PUF60|siah binding protein 1|RoBPI|fuse-binding protein-interacting repressor|FIR|SIAHBP1|PUF60

**Accession ID** NP\_510965.1; NP\_055096.2; NP\_001129505.1

**Blocking Peptide** EBP05683

**Immunogen** Peptide with sequence C-YDQERFDNSDL, from the C Terminus of the protein sequence according to NP\_510965.1; NP\_055096.2; NP\_001129505.1.

**Product** This antibody is expected to recognise all reported human isoforms (as represented by NP\_510965.1;

**Comments** NP\_055096.2; NP\_001129505.1)

**Peptide Sequence** C-YDQERFDNSDL

**Purification Method** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

using the immunizing peptide.

**Shipping Instructions** Refrigerated

**Predicted Species** Human, Mouse, Rat, Dog, Cow

**Reactive Species** Human

**Human Gene ID** 22827

**Mouse Gene ID** 67959

**Product Grade** [https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\\_medium.png](https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png)

**IHC Results** Paraffin embedded Human Prostate and Skin. Recommended concentration: 5µg/ml.

**ELISA**

**Detection Limit** Antibody detection limit dilution 1:32000.

**Western Blot** Approx 60kDa band observed in Human lysates of HEK293 (calculated MW of 59.9kDa according to NP\_510965.1 and 58.2 according to NP\_055096.2). Recommended concentration: 0.1-0.3µg/ml. Primary incubation was 1 hour.

**Application Type** Pep-ELISA, WB, IHC

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

250kDa  
150kDa  
100kDa  
75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

