

Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-SIAHBP1 / FIR ANTIBODY**

**SKU:** EB05683



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa



Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Ro ribonucleoprotein binding protein 1|FBP interacting repressor|FLJ31379|poly-U binding splicing factor Synonym /

**Alias** 60KDa|pyrimidine tract binding splicing factor|Ro ribonucleoprotein-binding protein 1|poly-U binding splicing factor PUF60|siah binding protein 1|RoBPI|fuse-binding protein-interacting repressor|FIR|SIAHBP1|PUF60 Names

Accession

NP\_510965.1; NP\_055096.2; NP\_001129505.1 ID

**Blocking** 

EBP05683 **Peptide** 

Peptide with sequence C-YDQERFDNSDLSA, from the C Terminus of the protein sequence according to **Immunogen** 

NP\_510965.1; NP\_055096.2; NP\_001129505.1.

**Product** This antibody is expected to recognise all reported human isoforms (as represented by NP\_510965.1;

NP\_055096.2; NP\_001129505.1) Comments

**Peptide** 

C-YDQERFDNSDLSA Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

**Predicted** 

Human, Mouse, Rat, Dog, Cow **Species** 

Reactive

Human **Species** 

Human

22827 Gene ID

Mouse

67959 Gene ID

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png Grade

IHC Results Paraffin embedded Human Prostate and Skin. Recommended concentration: 5µg/ml.

**ELISA** 

**Detection** 

Antibody detection limit dilution 1:32000.

Limit

**Blot** 

**Type** 

Approx 60kDa band observed in Human lysates of HEK293 (calculated MW of 59.9kDa according to Western NP\_510965.1 and 58.2 according to NP\_055096.2). Recommended concentration: 0.1-0.3μg/ml. Primary

incubation was 1 hour.

**Application** 

Pep-ELISA, WB, IHC





Telephone: (650) 697-3600



## **GALLERY IMAGES**

250kDa 150kDa 100kDa 75kDa





50kDa

37kDa

25kDa

20kDa

15kDa

10kDa